

# PCI/ISA Single Board Computer


## Providing a Cohesive Approach to Embedded Solutions

Diversified Technology's LBC9426 PICMG® passive backplane compliant SBC with one or two Dual Core Intel® Xeon® low voltage processors, 2MB L2 cache and dual NICs addresses for intense SMP computational network applications.

The DTI LBC series is the heart of many industrial, communication, and military application. While other companies let older PICMG technology wither on the vine, DTI's cohesive approach means that longevity of products extends not only to individual boards but also to form factor product lines.

### About DTI

Through a cohesive approach to embedded computing, Diversified Technology works hand-in-hand with your company to ensure that you are getting the best performance, the highest reliability, quickest time to market and the most efficient use of hardware for your embedded application.



**Two Low Voltage Dual Core Intel® Xeon® Processors at 1.67GHz**

*Dual Core - Dual Processors*

- x2 Dual Core Processors
- 33/66MHz PCI Busses  
8.33MHz ISA Bus
- Dual Channel DIMMs
- DTI Enhanced AMI BIOS
- 13.30" x 4.80" x 1.78" at CPU Fan
- VGA Flat Panel Controller



For more information, please download the Product Data Sheet or contact DTI Sales:  
sales@dtims.com / 1.800.443.2667



**Diversified Technology, Inc.**  
476 Highland Colony Pkwy, Ridgeland, MS 39157  
1.800.443.2667 | 601.898.4185 (Fax)  
sales@dtims.com | www.diversifiedtechnology.com